



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0303
Sample Source: Well #1 - Sample Tap
Date/Time Collected: 5/10/23 1137
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	3.5	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	4.3	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	5.9	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	2.1	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0304
Sample Source: Well #2 - Sample Tap
Date/Time Collected: 5/10/23 1136
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	6.3	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	3.7	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	3.6	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	4.2	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	2.0	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0302
Sample Source: Well #3 - Sample Tap
Date/Time Collected: 5/10/23 1124
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	2.5	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	3.0	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	4.5	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	4.8	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	2.0	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0301
Sample Source: Well #4 - Sample Tap
Date/Time Collected: 5/10/23 1123
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	5.7	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	5.2	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	5.8	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	8.5	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	3.1	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0291
Sample Source: Well #5 - Sample Tap
Date/Time Collected: 5/8/23 1405
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	7.7	ppt	1.9	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	3.9	ppt	1.9	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	6.2	ppt	1.9	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	1.9	ppt	1.9	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	6.1	ppt	1.9	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	2.6	ppt	1.9	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative

Kw/ga



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0292
Sample Source: Well #6 - Sample Tap
Date/Time Collected: 5/8/23 1406
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	4.8	ppt	1.9	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	3.8	ppt	1.9	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	4.2	ppt	1.9	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	2.3	ppt	1.9	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	2.1	ppt	1.9	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	2.2	ppt	1.9	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0307
Sample Source: Well #7 - Sample Tap
Date/Time Collected: 5/10/23 1155
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	2.8	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	2.8	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0295
Sample Source: Well #8 - Sample Tap
Date/Time Collected: 5/8/23 1420
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0297
Sample Source: Well #9 - Sample Tap
Date/Time Collected: 5/8/23 1435
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	3.5	ppt	2.0	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	3.9	ppt	2.0	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	2.0	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	2.0	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	2.0	EPA 537.1	5/18/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	2.0	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	2.0	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative

Kw/np



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0294
Sample Source: Well #10 - Sample Tap
Date/Time Collected: 5/8/23 1419
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative

Kw/JP



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0308
Sample Source: Well #11 - Sample Tap
Date/Time Collected: 5/10/23 1208
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	3.2	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	2.1	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	2.9	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	1.9	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0305
Sample Source: TP01 - Sample Tap
Date/Time Collected: 5/10/23 1128
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	5.3	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	4.9	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	5.2	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	8.0	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	2.8	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0293
Sample Source: TP02 - Sample Tap
Date/Time Collected: 5/8/23 1407
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	7.2	ppt	2.0	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	2.0	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	4.9	ppt	2.0	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	2.0	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	6.5	ppt	2.0	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	2.0	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	3.0	ppt	2.0	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	4.0	ppt	2.0	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	3.1	ppt	2.0	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	2.0	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	2.0	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	2.0	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	2.0	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	2.0	EPA 537.1	5/19/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	2.0	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	2.0	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0306
Sample Source: TP03 - Sample Tap
Date/Time Collected: 5/10/23 1154
Date/Time Received by lab: 5/10/23 1600
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	2.1	ppt	1.9	EPA 537.1	5/19/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanoic acid (PFHxA)	4.0	ppt	1.9	EPA 537.1	5/19/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorooctanoic acid (PFOA)	3.7	ppt	1.9	EPA 537.1	5/19/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluoroheptanoic acid (PFHpA)	1.9	ppt	1.9	EPA 537.1	5/19/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/19/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/19/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/19/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/19/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/19/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0296
Sample Source: TP04 - Sample Tap
Date/Time Collected: 5/8/23 1421
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	1.9	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	1.9	EPA 537.1	5/18/23
Hexafluoropropylene Oxide DimerAcid (HFPO-DA)	ND	ppt	1.9	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	1.9	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	1.9	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative



Water Testing Labs of Maryland

1000 Butterworth Ct.
Thompson Creek Business Park
Stevensville, MD 21666
(410) 643-7711
sales@wtlmd.com

Town of Mt. Airy
PO Box 50
Mt. Airy MD 21771

Reporting Date: 6/8/23
PWSID #: MD0060007

Sample ID: KR-23-0298
Sample Source: TP05 - Sample Tap
Date/Time Collected: 5/8/23 1436
Date/Time Received by lab: 5/8/23 1555
Sample Type: Drinking Water
Sampler/Company: K. Ramsey 2084KR, WTL of MD
Laboratory Certification: # 214

Analytical Results

Parameter	Result	Units	Report Limit	Analytical Method	Date Analyzed
Perfluorooctanesulfonic acid (PFOS)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluoroundecanoic acid (PFUnA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorohexanoic acid (PFHxA)	3.9	ppt	2.0	EPA 537.1	5/18/23
Perfluorododecanoic acid (PFDoA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorooctanoic acid (PFOA)	4.0	ppt	2.0	EPA 537.1	5/18/23
Perfluorodecanoic acid (PFDA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorohexanesulfonic acid (PFHxS)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorobutanesulfonic acid (PFBS)	2.0	ppt	2.0	EPA 537.1	5/18/23
Perfluoroheptanoic acid (PFHpA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorononanoic acid (PFNA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorotetradecanoic acid (PFTeDA)	ND	ppt	2.0	EPA 537.1	5/18/23
Perfluorotridecanoic acid (PFTrDA)	ND	ppt	2.0	EPA 537.1	5/18/23
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	ND	ppt	2.0	EPA 537.1	5/18/23
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	ND	ppt	2.0	EPA 537.1	5/18/23
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	ND	ppt	2.0	EPA 537.1	5/18/23
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/18/23
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	ND	ppt	2.0	EPA 537.1	5/18/23
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	ND	ppt	2.0	EPA 537.1	5/18/23

- Notes:
- The EPA has issued interim health advisory levels for PFOA= 0.004ppt, PFOS= 0.02ppt; and final healthy advisory levels for GenX chemicals= 10 ppt, PFBS=2,000 ppt. The health advisory is not enforceable.
 - Samples received and examined within the EPA's recommended holding time.
 - We certify that the analyses performed for this report are accurate, and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.
 - ND - Not Detected.
 - ppt - parts per trillion.
 - Analyzed by Lab 209.

Reported by,

T. Davis

T. Davis, Customer Service Representative