

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	4.0	ppt	1.9	EPA 537.1	4	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorohexanoic Acid (PFHXA)	NA	3.9	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorooctanoic acid (PFOA)	NA	3.9	ppt	1.9	EPA 537.1	4	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	2.3	ppt	1.9	EPA 537.1	10	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorobutanesulfonic acid (PFBS)	NA	2.2	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluoroheptanoic acid (PFHpA)	NA	2.1	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM
864-1	WL06 - RAW	11/12/2024 10:23 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:02 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	2.1	ppt	2.0	EPA 537.1	4	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorohexanoic Acid (PFHXA)	NA	3.5	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorooctanoic acid (PFOA)	NA	3.4	ppt	2.0	EPA 537.1	4	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorobutanesulfonic acid (PFBS)	NA	6.2	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluoroheptanoic acid (PFHpA)	NA	2.1	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM
856-1	WL04 - RAW	11/12/2024 11:03 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:42 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	3.0	ppt	2.0	EPA 537.1	4	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorohexanoic Acid (PFHXA)	NA	21.0	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorooctanoic acid (PFOA)	NA	14.0	ppt	2.0	EPA 537.1	4	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorodecanoic acid (PFDA)	NA	2.6	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorobutanesulfonic acid (PFBS)	NA	2.2	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluoroheptanoic acid (PFHpA)	NA	6.9	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorononanoic acid (PFNA)	NA	2.0	ppt	2.0	EPA 537.1	10	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorotridecanoic acid (PFTTrDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM
868-1	WL07 - RAW	11/12/2024 11:39 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 09:13 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	3.1	ppt	1.9	EPA 537.1	4	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorohexanoic Acid (PFHXA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorooctanoic acid (PFOA)	NA	2.7	ppt	1.9	EPA 537.1	4	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorobutanesulfonic acid (PFBS)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM
884-1	WL011 - RAW	11/12/2024 11:53 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:08 AM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**
**Reporting Date: 12/10/2024
PWSID #: MD0060007**

System Name: Town of Mt. Airy
 Sample Address: 000 Ridge Road Mt Airy, MD 21771
 Sample Type: Drinking Water
 Laboratory Certification: MD-214
 Received by Lab: Date: 11/12/2024 Time: 03:45 PM
 Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	ND	ppt	2.0	EPA 537.1	4	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorohexanoic Acid (PFHXA)	NA	2.6	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorooctanoic acid (PFOA)	NA	3.2	ppt	2.0	EPA 537.1	4	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorobutanesulfonic acid (PFBS)	NA	5.3	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorotridecanoic acid (PFTTrDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM
844-1	WL01 - RAW	11/12/2024 11:16 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:00 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	3.7	ppt	2.0	EPA 537.1	4	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorohexanoic Acid (PFHXA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorooctanoic acid (PFOA)	NA	ND	ppt	2.0	EPA 537.1	4	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	2.0	EPA 537.1	10	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorobutanesulfonic acid (PFBS)	NA	3.0	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	2.0	EPA 537.1	10	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	2.0	EPA 537.1	10	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM
848-1	WL02 - RAW	11/12/2024 11:15 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/21/2024 12:12 AM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	ND	ppt	1.9	EPA 537.1	4	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorohexanoic Acid (PFHXA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorooctanoic acid (PFOA)	NA	ND	ppt	1.9	EPA 537.1	4	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorobutanesulfonic acid (PFBS)	NA	2.1	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM
880-1	WL010 - RAW	11/12/2024 10:35 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:19 AM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	2.5	ppt	1.9	EPA 537.1	4	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorohexanoic Acid (PFHXA)	NA	2.8	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorooctanoic acid (PFOA)	NA	4.4	ppt	1.9	EPA 537.1	4	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorobutanesulfonic acid (PFBS)	NA	3.7	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluoroheptanoic acid (PFHpA)	NA	2.0	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorotridecanoic acid (PFTTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM
852-1	WL03 - RAW	11/12/2024 11:04 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 08:31 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	ND	ppt	1.9	EPA 537.1	4	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorohexanoic Acid (PFHXA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorooctanoic acid (PFOA)	NA	ND	ppt	1.9	EPA 537.1	4	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorobutanesulfonic acid (PFBS)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM
872-1	WL08 - RAW	11/12/2024 10:48 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/18/2024 09:23 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	ND	ppt	1.9	EPA 537.1	4	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorohexanoic Acid (PFHXA)	NA	4.2	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorooctanoic acid (PFOA)	NA	3.6	ppt	1.9	EPA 537.1	4	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorobutanesulfonic acid (PFBS)	NA	2.3	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluoroheptanoic acid (PFHpA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorotridecanoic acid (PFTTrDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	1.9	EPA 537.1	10	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM
876-1	WL09 - RAW	11/12/2024 11:25 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	1.9	EPA 537.1	NA	11/16/2024 03:29 AM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 12/10/2024
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: MD-214
Received by Lab: Date: 11/12/2024 Time: 03:45 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

Sample Id	Sample Source	Date/Time Collected	Parameter	Parameter Code	Results	Units	Reporting Limit	Method	MCL (mg/L)	Analysis Date/Time
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorooctanesulfonic Acid (PFOS)	NA	5.8	ppt	2.0	EPA 537.1	4	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluoroundecanoic Acid (PFUNA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorohexanoic Acid (PFHXA)	NA	4.4	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorododecanoic acid (PFDoA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorooctanoic acid (PFOA)	NA	5.7	ppt	2.0	EPA 537.1	4	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorodecanoic acid (PFDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorohexanesulfonic acid (PFHxS)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorobutanesulfonic acid (PFBS)	NA	5.7	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluoroheptanoic acid (PFHpA)	NA	2.6	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorononanoic acid (PFNA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorotridecanoic acid (PFTrDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	N-methylperfluorooctanesulfonic acid (NMeFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	N-ethylperfluorooctanesulfonic acid (NEtFOSAA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Hexafluoropropylene Oxide Dimer Acid (HFPO-DA)	NA	ND	ppt	2.0	EPA 537.1	10	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM
860-1	WL05 - RAW	11/12/2024 10:22 AM	Perfluorotetradecanoic acid (PFTeDA)	NA	ND	ppt	2.0	EPA 537.1	NA	11/18/2024 08:52 PM

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. EPA finalized a National Primary Drinking Water Regulation (NPDWR) establishing legally enforceable levels, called Maximum Contaminant Levels (MCLs), for six PFAS in drinking water. PFOA, PFOS, PFHxS, PFNA, and HFPO-DA as contaminants with individual MCLs, and PFAS mixtures containing at least two or more of PFHxS, PFNA, HFPO-DA, and PFBS using a Hazard Index MCL to account for the combined and co-occurring levels of these PFAS in drinking water. EPA also finalized health-based, non-enforceable Maximum Contaminant Level Goals (MCLGs) for these PFAS.
3. ppt: parts per trillion
4. Sample received and examined within EPA's recommended holding time.

5. Results in **BOLD** exceed the EPA's Primary MCL.
6. SM – Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
7. ND - Not Detected at the corresponding reporting limit.
8. NA - Not Applicable.
9. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.
10. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

T. Davis

T. Davis, Customer Service Representative