

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|--|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorononanoic acid (PFNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluoroheptanoic acid (PFHpA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorododecanoic acid (PFDoA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorooctanoic acid (PFOA) | NA | 2.6 | ppt | 2.0 | EPA 537.1 | 4 | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorohexanoic Acid (PFHXA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | 3.0 | ppt | 2.0 | EPA 537.1 | 4 | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorobutanesulfonic acid (PFBS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorodecanoic acid (PFDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |
| 15782-1 | WL011 - RAW | 02/19/2025 01:52 PM | 11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/27/2025 12:58 AM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|-------------|-------|-----------------|-----------|------------|---------------------|
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorononanoic acid (PFNA) | NA | 2.2 | ppt | 1.9 | EPA 537.1 | 10 | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluoroheptanoic acid (PFHpA) | NA | 8.2 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorooctanoic acid (PFOA) | NA | 16.0 | ppt | 1.9 | EPA 537.1 | 4 | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorohexanoic Acid (PFHXA) | NA | 25.0 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | 3.5 | ppt | 1.9 | EPA 537.1 | 4 | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 2.4 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorodecanoic acid (PFDA) | NA | 3.1 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |
| 15398-1 | WL07 - RAW | 02/19/2025 01:42 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/28/2025 06:23 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluoroheptanoic acid (PFHpA) | NA | 2.1 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorooctanoic acid (PFOA) | NA | 4.0 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorohexanoic Acid (PFHXA) | NA | 3.5 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | 2.5 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 6.1 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |
| 15804-1 | WL02 - RAW | 02/19/2025 01:08 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:55 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|------------|-------|-----------------|-----------|------------|---------------------|
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluoroheptanoic acid (PFHpA) | NA | 3.1 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorooctanoic acid (PFOA) | NA | 6.8 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorohexanoic Acid (PFHXA) | NA | 5.0 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | 7.5 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 6.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | 2.3 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15641-1 | WL05 - RAW | 02/19/2025 12:21 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluoroheptanoic acid (PFHpA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorooctanoic acid (PFOA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorohexanoic Acid (PFHXA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 2.4 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |
| 15490-1 | WL010 - RAW | 02/19/2025 12:39 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 10:51 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorononanoic acid (PFNA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | 10 | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluoroheptanoic acid (PFHpA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorododecanoic acid (PFDoA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | 10 | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorooctanoic acid (PFOA) | NA | 3.1 | ppt | 2.1 | EPA 537.1 | 4 | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorohexanoic Acid (PFHXA) | NA | 2.6 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | 4 | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 4.2 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | 10 | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorodecanoic acid (PFDA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |
| 15437-1 | WL01 - RAW | 02/19/2025 01:02 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <2.1 | ppt | 2.1 | EPA 537.1 | NA | 02/28/2025 06:33 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorononanoic acid (PFNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluoroheptanoic acid (PFHpA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorododecanoic acid (PFDoA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorooctanoic acid (PFOA) | NA | 3.8 | ppt | 2.0 | EPA 537.1 | 4 | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorohexanoic Acid (PFHXA) | NA | 2.7 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 4 | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 5.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorodecanoic acid (PFDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |
| 15681-1 | WL03 - RAW | 02/19/2025 01:03 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:23 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|------------|-------|-----------------|-----------|------------|---------------------|
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluoroheptanoic acid (PFHpA) | NA | 2.6 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorooctanoic acid (PFOA) | NA | 4.6 | ppt | 1.9 | EPA 537.1 | 4 | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorohexanoic Acid (PFHXA) | NA | 4.6 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | 3.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 2.8 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | 2.2 | ppt | 1.9 | EPA 537.1 | 10 | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |
| 15809-1 | WL06 - RAW | 02/19/2025 12:22 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/27/2025 12:16 AM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluoroheptanoic acid (PFHpA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorooctanoic acid (PFOA) | NA | 3.1 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorohexanoic Acid (PFHXA) | NA | 3.5 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |
| 15494-1 | WL09 - RAW | 02/19/2025 01:28 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:02 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

**Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771**

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|---|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorononanoic acid (PFNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluoroheptanoic acid (PFHpA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorododecanoic acid (PFDoA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorooctanoic acid (PFOA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorohexanoic Acid (PFHXA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 4 | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorobutanesulfonic acid (PFBS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | 10 | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorodecanoic acid (PFDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |
| 15709-1 | WL08 - RAW | 02/19/2025 12:49 PM | 11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid | NA | <1.9 | ppt | 1.9 | EPA 537.1 | NA | 02/26/2025 11:33 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative

Town of Mt. Airy
PO Box 50
Mt Airy, MD 21771

Reporting Date: 03/11/2025
PWSID #: MD0060007

System Name: Town of Mt. Airy
Sample Address: 000 Ridge Road Mt Airy, MD 21771
Sample Type: Drinking Water
Laboratory Certification: #214 Maryland, #134 Virginia, #00107 Virginia
Received by Lab: Date: 02/19/2025 Time: 04:16 PM
Sampler: K. Ramsey, 2084KR, WTL of MD

Analytical Results

| Sample Id | Sample Source | Date/Time Collected | Parameter | Parameter Code | Results | Units | Reporting Limit | Method | MCL (mg/L) | Analysis Date/Time |
|-----------|---------------|---------------------|--|----------------|---------|-------|-----------------|-----------|------------|---------------------|
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorononanoic acid (PFNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | 9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluoroheptanoic acid (PFHpA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorododecanoic acid (PFDoA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Hexafluoropropylene Oxide Dimer Acid (HFPO-DA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorooctanoic acid (PFOA) | NA | 3.3 | ppt | 2.0 | EPA 537.1 | 4 | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluoroundecanoic Acid (PFUNA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorohexanoic Acid (PFHXA) | NA | 2.5 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorooctanesulfonic Acid (PFOS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 4 | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorobutanesulfonic acid (PFBS) | NA | 4.9 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorohexanesulfonic acid (PFHxS) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | 10 | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorodecanoic acid (PFDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorotetradecanoic acid (PFTeDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | Perfluorotridecanoic acid (PFTrDA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | N-methylperfluorooctanesulfonic acid (NMeFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | N-ethylperfluorooctanesulfonic acid (NEtFOSAA) | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |
| 15662-1 | WL04 - RAW | 02/19/2025 01:16 PM | 11-Chloroeicosafuoro-3-oxaundecane-1-sulfonic acid | NA | <2.0 | ppt | 2.0 | EPA 537.1 | NA | 02/26/2025 11:44 PM |

Notes:

1. MCL is EPA's maximum contaminant level under primary drinking water regulations.
2. Sample received and examined within EPA's recommended holding time.
3. Results in **BOLD** exceed the EPA's Primary MCL.
4. SM - Greenberg, Clesceri and Eaton, Standard Methods for the Examination of Water and Wastewater.
5. NA - Not Applicable.
6. The following tests were analyzed in other labs: PFAS 537.1 was analyzed by lab MD-209.

7. We certify that the analyses performed for this report are accurate and that the laboratory tests were conducted by methods approved by the US Environmental Protection Agency and the Maryland Department of the Environment.

Reported by,

K. Wentworth

K. Wentworth, Customer Service Representative